

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 3/20/2024 Revision date: 6/25/2025 Supersedes version of: 3/18/2025 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance (UVCB) Substance name : Lavandin absolute

IUPAC name : Lavender, Lavandula hybrida, ext.

EC-No. : 294-470-6 CAS-No. : 91722-69-9 Product code : 22416 Product group Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Intended for general public

Main use category : Professional use, Consumer use Use of the substance/mixture : Fragrance raw material

1.3. Details of the supplier of the safety data sheet

De Hekserij Spoorstraat 57 8271 RG IJsselmuiden Nederland T+31 383 557 927

hekserij@hekserij.nl, www.hekserij.nl

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 1 H318 Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment - Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS05

GHS07

GHS09

Signal word (CLP)

: Danger

: beta-Caryophyllene; Eucalyptol; dl-Borneol; Oct-1-en-3-yl acetate; d-Limonene; Linalool; Contains Geraniol; Coumarin; Linalyl acetate; Geranyl acetate; d-Camphor; alpha-Bisabolol; Neryl

acetate

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P261 - Avoid breathing vapours, spray, fume. P264 - Wash hands thoroughly after handling. P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection. P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a doctor, a POISON CENTER.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

P391 - Collect spillage.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

Extra phrases : Fragrance allergens (Cosmetics):

BETA-CARYOPHYLLENE

CAMPHOR COUMARIN GERANIOL

GERANYL ACETATE

LAVANDULA HYBRIDA EXTRACT

LINALOOL LINALYL ACETATE TERPINEOL TERPINOLENE.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type : UVCB

 Name
 : Lavandin absolute

 CAS-No.
 : 91722-69-9

 EC-No.
 : 294-470-6

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lavandin absolute	CAS-No.: 91722-69-9 EC-No.: 294-470-6	100	See Section 2.1
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2	25 – 50	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789-	25 – 50	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
d-Camphor	CAS-No.: 464-49-3 EC-No.: 207-355-2	7.5 – 10	Flam. Sol. 2, H228 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371
Eucalyptol	CAS-No.: 470-82-6 EC-No.: 207-431-5	3 – 5	Flam. Liq. 3, H226 Skin Sens. 1B, H317
Coumarin	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119949300- 45	3 – 5	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Skin Sens. 1, H317 Aquatic Chronic 3, H412
4-Carvomenthenol	CAS-No.: 562-74-3 EC-No.: 209-235-5	3 – 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412
dl-Borneol	CAS-No.: 507-70-0 EC-No.: 208-080-0	1 – 3	Flam. Sol. 2, H228 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371
beta-Caryophyllene	CAS-No.: 87-44-5 EC-No.: 201-746-1	1 – 3	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Farnesene	CAS-No.: 18794-84-8 EC-No.: 242-582-0	1 – 3	Asp. Tox. 1, H304
alpha-Bisabolol	CAS-No.: 23089-26-1 EC-No.: 245-423-3	1 – 3	Skin Sens. 1, H317 Aquatic Chronic 2, H411
cis-beta-Ocimene	CAS-No.: 3338-55-4 EC-No.: 222-081-3	< 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Myrcene	CAS-No.: 123-35-3 EC-No.: 204-622-5	<1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1	< 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	< 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
d-Limonene	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2	< 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Oct-1-ene-3-ol	CAS-No.: 3391-86-4 EC-No.: 222-226-0	< 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400
Oct-1-en-3-yl acetate	CAS-No.: 2442-10-6 EC-No.: 219-474-7	< 1	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
para-Cymene	CAS-No.: 99-87-6 EC-No.: 202-796-7 EC Index-No.: 601-094-00-1	< 1	Flam. Liq. 3, H226 Acute Tox. 3 (Inhalation:dust,mist), H331 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Neryl acetate	CAS-No.: 141-12-8 EC-No.: 205-459-2	< 1	Skin Sens. 1B, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

Self protection of the first-aider : First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : None under normal conditions.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

6/25/2025 (Revision date) EU - en 4/20

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry

into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be

allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Keep cool. Protect from sunlight.

Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

6/25/2025 (Revision date) EU - en 5/20

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):







Eye and face protection

Eye protection:

Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Brown. : Not available Odour Odour threshold : Not available Melting point : Not available Freezing point : Not available Boiling point : Not available Flammability : Non flammable. Lower explosion limit : Not available Upper explosion limit : Not available : 72 °C Flash point : Not available Auto-ignition temperature Decomposition temperature Not available : Not available рΗ Viscosity, kinematic : Not available Solubility : Insoluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vapour pressure at 50°C : Not available

Density : 0.938 g/cm³

Relative density : Not available

Relative vapour density at 20°C : Not available

Particle characteristics : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Linalool (78-70-6)	
LD50 oral rat	2790 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2440 - 3180
LD50 oral	3120 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2620 - 3620
LD50 dermal rabbit	5610 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 3578 - 8374
Linalyl acetate (115-95-7)	
LD50 oral rat	> 9000 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
Coumarin (91-64-5)	
LD50 oral rat	293 mg/kg bodyweight Animal: rat, Guideline: other:
LD50 dermal rat	293 mg/kg bodyweight Animal: rat, Guideline: other:

Safety Data Sheet

4-Carvomenthenol (562-74-3)	
LD50 oral rat	1300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	2500 – 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
dl-Borneol (507-70-0)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	0.5 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
beta-Caryophyllene (87-44-5)	
LD50 oral	> 5000 mg/kg bodyweight Animal: mouse, Animal sex: male, Remarks on results: not determinable due to absence of adverse toxic effects
Farnesene (18794-84-8)	
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Animal sex: female, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 2.06 mg/l air Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity), Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
Myrcene (123-35-3)	
LD50 oral rat	> 11390 mg/kg bodyweight Animal: rat
LD50 oral	> 3380 mg/kg bodyweight Animal: mouse
LD50 dermal rabbit	> 5000 mg/l Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Geraniol (106-24-1)	
LD50 oral rat	3600 mg/kg bodyweight Animal: rat, 95% CL: 2840 - 4570
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
Geranyl acetate (105-87-3)	
LD50 oral rat	6330 mg/kg bodyweight Animal: rat, 95% CL: 5450 - 7340
d-Limonene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
Oct-1-ene-3-ol (3391-86-4)	
LD50 oral rat	175 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure), 95% CL: 87 - 426
para-Cymene (99-87-6)	
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: other:
alpha-Bisabolol (23089-26-1)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)
Neryl acetate (141-12-8)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

d-Camphor (464-49-3)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	0.5 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
Skin corrosion/irritation :	Causes skin irritation.
4-Carvomenthenol (562-74-3)	
pH	6.8 – 7.1 Temp.: 20 °C
Serious eye damage/irritation :	Causes serious eye damage.
4-Carvomenthenol (562-74-3)	
pH	6.8 – 7.1 Temp.: 20 °C
Respiratory or skin sensitisation :	May cause an allergic skin reaction.
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Geraniol (106-24-1)	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Reproductive toxicity :	Not classified
Coumarin (91-64-5)	
NOAEL (animal/female, F0/P)	> 333 mg/kg bodyweight Animal: rat, Animal sex: female
d-Limonene (5989-27-5)	
NOAEL (animal/female, F0/P)	600 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:
STOT-single exposure :	Not classified.
dl-Borneol (507-70-0)	
STOT-single exposure	May cause damage to organs.
d-Camphor (464-49-3)	
STOT-single exposure	May cause damage to organs (lungs) (inhalation).
STOT-repeated exposure :	Not classified
Linalool (78-70-6)	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Linalyl acetate (115-95-7)	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Eucalyptol (470-82-6)	
NOAEL (oral, rat, 90 days)	600 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3150 (90-Day Oral Toxicity in Non-rodents)
Coumarin (91-64-5)	
NOAEL (subchronic, oral, animal/female, 90 days)	> 138.3 mg/kg bodyweight Animal: mouse, Animal sex: female
dl-Borneol (507-70-0)	
NOAEL (oral, rat, 90 days)	3.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: other:

6/25/2025 (Revision date) EU - en 9/20

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

NOAEL (oral, rat, 90 days) ≥ 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents), Guideline: EVEN OPPTS 870.3100 (90-Day Oral Toxicity in Rodents), Guideline: EVEN OPPTS 870.3100 (90-Day Oral Toxicity in Rodents), Guideline: UMENTO Rodents) Myrcene (123-35-3) LOAEL (oral, rat, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (subchronic, oral, animal/male, 90 days) NOAEL (subchronic, oral, animal/female, 90 days) S250 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (subchronic, oral, animal/female, 90 days) S250 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: other:, Guideline: other: Geranyl acetate (105-87-3) NOAEL (oral, rat, 90 days) 2000 mg/kg bodyweight Animal: rat, Guideline: other: d-Camphor (464-49-3) NOAEL (oral, rat, 90 days) 3.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	Farnesene (18794-84-8)		
LOAEL (oral, rat, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (subchronic, oral, animal/male, 90 days) Soo mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (subchronic, oral, animal/female, 90 days) Soo mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Geraniol (106-24-1) NOAEL (dermal, rat/rabbit, 90 days) Soo mg/kg bodyweight Animal: rat, Guideline: other:, Guideline: other: Geranyl acetate (105-87-3) NOAEL (oral, rat, 90 days) Soo mg/kg bodyweight Animal: rat, Guideline: other: d-Camphor (464-49-3) NOAEL (oral, rat, 90 days) Soo mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) Soo mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) Soo mg/kg bodyweight Animal: rat, Guideline: other: Aspiration hazard NOAEL (dermal, rat/rabbit, 90 days) Soo mg/kg bodyweight Animal: rat, Guideline: other: Aspiration hazard NOAEL (dermal, rat/rabbit, 90 days) Soo mg/kg bodyweight Animal: rat, Guideline: other: Aspiration hazard NOAEL (dermal, rat/rabbit, 90 days) Soo mg/kg bodyweight Animal: rat, Guideline: other: Aspiration hazard NOAEL (dermal, rat/rabbit, 90 days) Soo mg/kg bodyweight Animal: rat, Guideline: other: Aspiration hazard NOAEL (dermal, rat/rabbit, 90 days) Soo mg/kg bodyweight Animal: rat, Guideline: other: Aspiration hazard NOAEL (dermal, rat/rabbit, 90 days) Soo mg/kg bodyweight Animal: rat, Guideline: other: Aspiration hazard NOAEL (dermal, rat/rabbit, 90 days) Soo mg/kg bodyweight Animal: rat, Guideline: other: Aspiration hazard NOAEL (dermal, rat/rabbit, 90 days) Soo mg/kg bodyweight Animal: rat, Guideline: oth	NOAEL (oral, rat, 90 days)	90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test:	
Day Oral Toxicity Study in Rodents) NOAEL (subchronic, oral, animal/male, 90 days) NOAEL (subchronic, oral, animal/female, 90 days) NOAEL (subchronic, oral, animal/female, 90 days) NOAEL (subchronic, oral, animal/female, 90 days) Somy/kg bodyweight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Somy/kg bodyweight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) NOAEL (oral, rat, 90 days) NOAEL (dermal, rat/rabbit, 90 days) Somy/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) Somy/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) Somy/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) Somy/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) Somy/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) Somy/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) Somy/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Somy/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Somy/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Somy/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated	Myrcene (123-35-3)		
(Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (subchronic, oral, animal/female, 90 days) 250 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Geraniol (106-24-1) NOAEL (dermal, rat/rabbit, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: other:, Guideline: other: Geranyl acetate (105-87-3) NOAEL (oral, rat, 90 days) 2000 mg/kg bodyweight Animal: rat, Guideline: other: d-Camphor (464-49-3) NOAEL (oral, rat, 90 days) 3.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: other: Aspiration hazard Inallyl acetate (115-95-7) Viscosity, kinematic 2.772 mm²/s Farnesene (18794-84-8) Viscosity, kinematic 2.152 mm²/s Geranyl acetate (105-87-3)	LOAEL (oral, rat, 90 days)	· · ·	
408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Geraniol (106-24-1) NOAEL (dermal, rat/rabbit, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: other:, Guideline: other: Geranyl acetate (105-87-3) NOAEL (oral, rat, 90 days) 2000 mg/kg bodyweight Animal: rat, Guideline: other: d-Camphor (464-49-3) NOAEL (oral, rat, 90 days) 3.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: other: Aspiration hazard Not classified Linalyl acetate (115-95-7) Viscosity, kinematic 2.772 mm²/s Farnesene (18794-84-8) Viscosity, kinematic 2.152 mm²/s Geranyl acetate (105-87-3)	NOAEL (subchronic, oral, animal/male, 90 days)		
NOAEL (dermal, rat/rabbit, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: other:, Guideline: other: Geranyl acetate (105-87-3) NOAEL (oral, rat, 90 days) 2000 mg/kg bodyweight Animal: rat, Guideline: other: d-Camphor (464-49-3) NOAEL (oral, rat, 90 days) 3.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: other: Aspiration hazard : Not classified Linalyl acetate (115-95-7) Viscosity, kinematic 2.772 mm²/s Farnesene (18794-84-8) Viscosity, kinematic 2.152 mm²/s Geranyl acetate (105-87-3)	NOAEL (subchronic, oral, animal/female, 90 days)		
Geranyl acetate (105-87-3) NOAEL (oral, rat, 90 days) 2000 mg/kg bodyweight Animal: rat, Guideline: other: d-Camphor (464-49-3) NOAEL (oral, rat, 90 days) 3.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: other: Aspiration hazard : Not classified Linalyl acetate (115-95-7) Viscosity, kinematic 2.772 mm²/s Farnesene (18794-84-8) Viscosity, kinematic 2.152 mm²/s Geranyl acetate (105-87-3)	Geraniol (106-24-1)		
NOAEL (oral, rat, 90 days) 2000 mg/kg bodyweight Animal: rat, Guideline: other: d-Camphor (464-49-3) NOAEL (oral, rat, 90 days) 3.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: other: Aspiration hazard : Not classified Linalyl acetate (115-95-7) Viscosity, kinematic 2.772 mm²/s Farnesene (18794-84-8) Viscosity, kinematic 2.152 mm²/s Geranyl acetate (105-87-3)	NOAEL (dermal, rat/rabbit, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: other:, Guideline: other:	
d-Camphor (464-49-3) NOAEL (oral, rat, 90 days) NOAEL (dermal, rat/rabbit, 90 days) NOAEL (dermal, rat/rabbit, 90 days) Aspiration hazard Linalyl acetate (115-95-7) Viscosity, kinematic 2.772 mm²/s Farnesene (18794-84-8) Viscosity, kinematic 2.152 mm²/s Geranyl acetate (105-87-3)	Geranyl acetate (105-87-3)		
NOAEL (oral, rat, 90 days) 3.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: other: Aspiration hazard: Not classified Linalyl acetate (115-95-7) Viscosity, kinematic: 2.772 mm²/s Farnesene (18794-84-8) Viscosity, kinematic: 2.152 mm²/s Geranyl acetate (105-87-3)	NOAEL (oral, rat, 90 days)	2000 mg/kg bodyweight Animal: rat, Guideline: other:	
Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) Aspiration hazard : Not classified Linalyl acetate (115-95-7) Viscosity, kinematic 2.772 mm²/s Farnesene (18794-84-8) Viscosity, kinematic 2.152 mm²/s Geranyl acetate (105-87-3)	d-Camphor (464-49-3)		
Aspiration hazard : Not classified Linalyl acetate (115-95-7) Viscosity, kinematic 2.772 mm²/s Farnesene (18794-84-8) Viscosity, kinematic 2.152 mm²/s Geranyl acetate (105-87-3)	NOAEL (oral, rat, 90 days)		
Linalyl acetate (115-95-7) Viscosity, kinematic 2.772 mm²/s Farnesene (18794-84-8) Viscosity, kinematic 2.152 mm²/s Geranyl acetate (105-87-3)	NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: other:	
Viscosity, kinematic 2.772 mm²/s Farnesene (18794-84-8) Viscosity, kinematic 2.152 mm²/s Geranyl acetate (105-87-3)	Aspiration hazard :	Not classified	
Farnesene (18794-84-8) Viscosity, kinematic 2.152 mm²/s Geranyl acetate (105-87-3)	Linalyl acetate (115-95-7)		
Viscosity, kinematic 2.152 mm²/s Geranyl acetate (105-87-3)	Viscosity, kinematic	2.772 mm²/s	
Geranyl acetate (105-87-3)	Farnesene (18794-84-8)		
	Viscosity, kinematic	2.152 mm²/s	
Viscosity, kinematic 2.71 mm²/s Temp.: 20 °C	Geranyl acetate (105-87-3)		
	Viscosity, kinematic	2.71 mm²/s Temp.: 20 °C	

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

(511151115)	
Linalool (78-70-6)	
LC50 - Fish [1]	27.8 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	88.3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

Safety Data Sheet

Linalool (78-70-6)	
EC50 96h - Algae [2]	156.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l Test organisms (species): Cyprinus carpio
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	13.1 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Eucalyptol (470-82-6)	
LC50 - Fish [1]	57 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 74 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	> 74 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
Coumarin (91-64-5)	
LC50 - Fish [1]	2.94 mg/l Test organisms (species):
LC50 - Fish [2]	1.324 mg/l Test organisms (species):
EC50 - Crustacea [1]	8.012 mg/l Test organisms (species): Daphnia sp.
EC50 96h - Algae [1]	1.452 mg/l Test organisms (species):
NOEC (chronic)	0.5 mg/l Test organisms (species): Duration: '21 d'
NOEC chronic fish	0.191 mg/l Test organisms (species): Duration: '30 d'
4-Carvomenthenol (562-74-3)	
LC50 - Fish [1]	15.6 mg/l Test organisms (species):
EC50 - Other aquatic organisms [1]	26.6 mg/l Test organisms (species):
dl-Borneol (507-70-0)	
LC50 - Fish [1]	33.25 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	4.23 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.3 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	1.71 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
beta-Caryophyllene (87-44-5)	
EC50 - Crustacea [1]	> 0.17 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 0.033 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Myrcene (123-35-3)	
EC50 - Crustacea [1]	1.47 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.342 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

Safety Data Sheet

Myrcene (123-35-3)	
EC50 72h - Algae [2]	0.31 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Geraniol (106-24-1)	
LC50 - Fish [1]	≈ 22 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	10.8 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	13.1 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Geranyl acetate (105-87-3)	
LC50 - Fish [1]	68.12 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	14.1 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	3.72 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
d-Limonene (5989-27-5)	
LC50 - Fish [1]	720 μg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	702 μg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.307 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.32 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.214 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
Oct-1-ene-3-ol (3391-86-4)	
EC50 - Crustacea [1]	8.02 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	7.05 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
para-Cymene (99-87-6)	
LC50 - Fish [1]	48 mg/l Test organisms (species): Cyprinodon variegatus
EC50 - Crustacea [1]	3.7 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	4.03 mg/l Test organisms (species): Scenedesmus capricornutum
EC50 72h - Algae [2]	2.01 mg/l Test organisms (species): Scenedesmus capricornutum
alpha-Bisabolol (23089-26-1)	
EC50 - Crustacea [1]	2.2 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	3.8 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.96 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
Neryl acetate (141-12-8)	
LC50 - Fish [1]	6 mg/l Test organisms (species): other:
EC50 - Crustacea [1]	9.97 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	9.06 mg/l Test organisms (species): Daphnia magna

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

d-Camphor (464-49-3)	
LC50 - Fish [1]	33.25 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	4.23 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.3 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	1.71 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

12.2. Persistence and degradability

Lavandin absolute (91722-69-9)	
Persistence and degradability	Not rapidly degradable
Linalool (78-70-6)	
Persistence and degradability	Not rapidly degradable
Linalyl acetate (115-95-7)	
Persistence and degradability	Not rapidly degradable
Eucalyptol (470-82-6)	
Persistence and degradability	Not rapidly degradable
Coumarin (91-64-5)	
Persistence and degradability	Not rapidly degradable
4-Carvomenthenol (562-74-3)	
Persistence and degradability	Not rapidly degradable
dl-Borneol (507-70-0)	
Persistence and degradability	Not rapidly degradable
beta-Caryophyllene (87-44-5)	
Persistence and degradability	Not rapidly degradable
Farnesene (18794-84-8)	
Persistence and degradability	Not rapidly degradable
cis-beta-Ocimene (3338-55-4)	
Persistence and degradability	Not rapidly degradable
Myrcene (123-35-3)	
Persistence and degradability	Not rapidly degradable
Geraniol (106-24-1)	
Persistence and degradability	Not rapidly degradable
Geranyl acetate (105-87-3)	
Persistence and degradability	Not rapidly degradable
d-Limonene (5989-27-5)	
Persistence and degradability	Not rapidly degradable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Oct-1-ene-3-ol (3391-86-4)	
Persistence and degradability Not rapidly degradable	
Oct-1-en-3-yl acetate (2442-10-6)	
Persistence and degradability	Not rapidly degradable
para-Cymene (99-87-6)	
Persistence and degradability	Not rapidly degradable
alpha-Bisabolol (23089-26-1)	
Persistence and degradability	Not rapidly degradable
Neryl acetate (141-12-8)	
Persistence and degradability	Not rapidly degradable
d-Camphor (464-49-3)	
Persistence and degradability	Not rapidly degradable
12.3. Riogeoumulative potential	

12.3. Bioaccumulative potential

Linalyl acetate (115-95-7)	
Partition coefficient n-octanol/water (Log Pow) 3.9	
Geranyl acetate (105-87-3)	
Partition coefficient n-octanol/water (Log Pow) 4.04	

12.4. Mobility in soil

Geranyl acetate (105-87-3)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.06

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Do not re-use empty containers.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

6/25/2025 (Revision date) EU - en 14/20

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

UN 3082 RONMENTALLY AZARDOUS TANCE, LIQUID, Lavandin absolute) UN 3082 RONMENTALLY AZARDOUS TANCE, LIQUID, Lavandin absolute), III, MARINE OLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Lavandin absolute) UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Lavandin absolute), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lavandin absolute) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lavandin absolute), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lavandin absolute) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lavandin absolute), 9, III
RONMENTALLY AZARDOUS TANCE, LIQUID, Lavandin absolute) UN 3082 RONMENTALLY AZARDOUS TANCE, LIQUID, Lavandin absolute), JIII, MARINE OLLUTANT	Environmentally hazardous substance, liquid, n.o.s. (Lavandin absolute) UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Lavandin	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lavandin absolute) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lavandin absolute),	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lavandin absolute) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lavandin absolute),
AZARDOUS TANCE, LIQUID, Lavandin absolute) UN 3082 RONMENTALLY AZARDOUS TANCE, LIQUID, Lavandin absolute), III, MARINE OLLUTANT	substance, liquid, n.o.s. (Lavandin absolute) UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Lavandin	HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lavandin absolute) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lavandin absolute),	HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lavandin absolute) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lavandin absolute),
AZARDOUS TANCE, LIQUID, Lavandin absolute) UN 3082 RONMENTALLY AZARDOUS TANCE, LIQUID, Lavandin absolute), III, MARINE OLLUTANT	substance, liquid, n.o.s. (Lavandin absolute) UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Lavandin	HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lavandin absolute) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lavandin absolute),	HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lavandin absolute) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lavandin absolute),
RONMENTALLY AZARDOUS TANCE, LIQUID, avandin absolute), III, MARINE OLLUTANT	hazardous substance, liquid, n.o.s. (Lavandin	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lavandin absolute),	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lavandin absolute),
RONMENTALLY AZARDOUS TANCE, LIQUID, avandin absolute), III, MARINE OLLUTANT	hazardous substance, liquid, n.o.s. (Lavandin	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lavandin absolute),	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lavandin absolute),
9	9	9	9
	2		**************************************
III	III	III	III
,			
gerous for the ironment: Yes e pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
	gerous for the ronment: Yes e pollutant: Yes -No. (Fire): F-A	gerous for the Dangerous for the ronment: Yes environment: Yes	gerous for the Dangerous for the ronment: Yes environment: Yes environment

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601, 650

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Orange plates 90

3082

: A

Tunnel restriction code (ADR)

Transport by sea

Special provisions (IMDG) : 274, 335, 375, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) : PP1 Special packing provisions (IMDG) : IBC03 IBC packing instructions (IMDG) Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP29 Stowage category (IMDG)

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) Y964 PCA limited quantity max net quantity (IATA) 30kgG PCA packing instructions (IATA) 964 PCA max net quantity (IATA) 450L CAO packing instructions (IATA) : 964 CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) · M6

Special provisions (ADN) : 274, 335, 375, 601, 650

Limited quantities (ADN) : 5 L Excepted quantities (ADN) : E1 Carriage permitted (ADN) : T Equipment required (ADN) : PP Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

: 274, 335, 375, 601, 650 Special provisions (RID)

Limited quantities (RID) : 5L : E1 Excepted quantities (RID)

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1 : MP19 Mixed packing provisions (RID) Portable tank and bulk container instructions (RID) : T4 Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV Transport category (RID) : 3 Special provisions for carriage – Packages (RID) : W12 Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8 Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Eucalyptol ; cis-beta- Ocimene ; Myrcene ; d- Limonene ; para-Cymene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Lavandin absolute; Linalool; Linalyl acetate; Eucalyptol; 4- Carvomenthenol; beta- Caryophyllene; Farnesene; cis-beta- Ocimene; Myrcene; Geraniol; Geranyl acetate; d-Limonene; Oct-1-ene- 3-ol; Oct-1-en-3-yl acetate; para-Cymene; alpha-Bisabolol; Neryl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Lavandin absolute; 4- Carvomenthenol; beta- Caryophyllene; cis-beta- Ocimene; Myrcene; Geranyl acetate; d- Limonene; Oct-1-ene-3-ol; para-Cymene; alpha- Bisabolol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

National regulations

Netherlands

SZW-lijst van kankerverwekkende stoffen : Lavandin absolute is listed SZW-lijst van mutagene stoffen : The substance is not listed SZW-lijst van reprotoxische stoffen – Borstvoeding : The substance is not listed SZW-lijst van reprotoxische stoffen – : The substance is not listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : The substance is not listed

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations ar	nd acronyms:
ACGIH	American Conference of Government Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration

Safety Data Sheet

Abbreviations and acr	onyms:
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
OSHA	Occupational Safety Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
PPE	Personal protection equipment
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TF	Technical function
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	Unique Formula Identifier

Full text of H- and EUF	Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Flam. Sol. 2	Flammable solids, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.