



DE HEKSERIJ

# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 7/3/2024 Revision date: 9/3/2025 Supersedes version of: 6/17/2025 Version: 2.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Birch Leaf Givco 166  
UFI : Q664-AN3E-F42T-HJJV  
Product code : 23127  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Intended for general public  
Main use category : Consumer use, Professional use  
Use of the substance/mixture : Fragrance raw material

#### 1.3. Details of the supplier of the safety data sheet

De Hekserij  
Sporstraat 57  
8271 RG IJsselmuiden  
Nederland  
T +31 383 557 927  
[hekserij@hekserij.nl](mailto:hekserij@hekserij.nl), [www.hekserij.nl](http://www.hekserij.nl)

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315  
Serious eye damage/eye irritation, Category 1 H318  
Skin sensitisation, Category 1 H317  
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Contains

: Geraniol; Eugenol; Citronellol; Bergamot acetoacetate; Bulnesia sarmienti, ext., acetate; Citral; Linalool; 2,6,10-trimethylundec-9-enal; cis-3-Hexenyl benzoate; d-Limonene; Benzyl alcohol; Myrcenyl acetate; 2,4-dimethylcyclohex-3-ene-1-carbaldehyde; Citronellal; beta-Pinene; delta-3-Carene; 2-Methoxy-p-cresol; Isoeugenol; Nerol; Eucalyptus oil; alpha-Pinene; Geranyl acetate; Orange, sweet, ext.

# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP)	: H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P102 - Keep out of reach of children. P261 - Avoid breathing vapours, spray, fume. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, eye protection. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a doctor, a POISON CENTER. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P391 - Collect spillage. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Extra phrases	: Fragrance allergens (Cosmetics): 0,016 ALPHA-TERPINENE 1,801 BENZYL ALCOHOL 0,003 BETA-CARYOPHYLLENE 0,625 BETA-PINENES 2,071 CITRAL 8,093 CITRONELLOL 2 CITRUS AURANTIUM DULCIS PEEL OIL EXPRESSED 0,2 DIMETHYLBENZYL CARBINYL ACETATE 12 EUGENOL 0,002 FARNESOL 12,159 GERANIOL 0,217 GERANYL ACETATE 0,005 ISOEUGENOL 0,009 ISOEUGENYL ACETATE 3 LINALOOL 0,002 LINALYL ACETATE 0,428 PINENE 0,135 TERPINEOL 0,007 TERPINOLENE.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1	10 - 15	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1	10 - 15	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317

# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Citronellol	CAS-No.: 106-22-9 EC-No.: 203-375-0	5 - 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Bergamot acetoacetate	CAS-No.: 69103-01-1 EC-No.: 273-868-3 REACH-no: 01-2120260055-65	5 – 10	Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Bulnesia sarmienti, ext., acetate	CAS-No.: 94333-88-7 EC-No.: 305-067-2	5 – 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 1, H410
cis-hex-3-en-1-ol	CAS-No.: 928-96-1 EC-No.: 213-192-8	5 – 10	Flam. Liq. 3, H226 Eye Irrit. 2, H319
2-phenylethanol	CAS-No.: 60-12-8 EC-No.: 200-456-2 REACH-no: 01-2119963921-31	1 – 5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Citral	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829-23	1 - 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Benzyl alcohol	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-38	1 - 2.5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
4-methyl-3-decen-5-ol	CAS-No.: 81782-77-6 EC-No.: 279-815-0 REACH-no: 01-2119983528-21	2.5 – 5	Aquatic Acute 1, H400 Aquatic Chronic 2, H411
2,6,10-trimethylundec-9-enal	CAS-No.: 141-13-9 EC-No.: 205-460-8 REACH-no: 01-2120139915-49	1 – 2.5	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Vernaldehyde	CAS-No.: 66327-54-6 EC-No.: 266-314-7, 945-920-1 REACH-no: 01-2120735782-50	1 – 2.5	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
cis-3-Hexenyl benzoate	CAS-No.: 25152-85-6 EC-No.: 246-669-4	1 – 2.5	Skin Sens. 1B, H317 Aquatic Chronic 2, H411

# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
5-methylheptan-3-one oxime	CAS-No.: 22457-23-4 EC-No.: 245-010-8 REACH-no: 01-2120747610-59	1 – 2.5	Aquatic Chronic 3, H412
Eucalyptus oil	CAS-No.: 84625-32-1 EC-No.: 283-406-2 REACH-no: 01-2119978250-37	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Orange, sweet, ext.	CAS-No.: 8028-48-6 EC-No.: 232-433-8 REACH-no: 01-2119493353-35	1 – 2.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Myrcenyl acetate	CAS-No.: 1118-39-4 EC-No.: 214-262-0	0.25 – 1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	CAS-No.: 68039-49-6 EC-No.: 268-264-1 REACH-no: 01-2119982384-28	0.25 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Citronellal	CAS-No.: 106-23-0 EC-No.: 203-376-6	0.1 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
beta-Pinene	CAS-No.: 127-91-3 EC-No.: 204-872-5	0.25 – 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
2-Methoxy-p-cresol	CAS-No.: 93-51-6 EC-No.: 202-252-9	0.1 – 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
delta-3-Carene	CAS-No.: 13466-78-9 EC-No.: 236-719-3	0.1 – 0.25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
Isoeugenol	CAS-No.: 97-54-1 EC-No.: 202-590-7	0 – 0.01	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 STOT SE 3, H335

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general

: If you feel unwell, seek medical advice.

# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
Self protection of the first-aider	: First aid workers will be equipped with suitable personal protective equipment.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: None under normal conditions.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

### 5.3. Advice for firefighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
------------------	---

#### For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
-----------------	---

# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Keep cool. Protect from sunlight.
Packaging materials	: Store always product in container of same material as original container.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

#### Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protection equipment

##### Personal protective equipment:

Wear recommended personal protective equipment.

##### Personal protective equipment symbol(s):



#### Eye and face protection

##### Eye protection:

Safety glasses

#### Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Protective gloves

#### Respiratory protection

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: pale yellow to brown yellow.
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 75 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Practically insoluble.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 0.3672 hPa Temp.: 20 °C
Vapour pressure at 50°C	: Not available
Density	: 923.33 kg/m³ Temp.: 20 °C
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified.  
Acute toxicity (inhalation) : Not classified

<b>Birch Leaf Givco 166</b>	
LD50 oral	> 2000 mg/kg
<b>Geraniol (106-24-1)</b>	
LD50 oral rat	3600 mg/kg bodyweight Animal: rat, 95% CL: 2840 - 4570
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
<b>Eugenol (97-53-0)</b>	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 oral	1500 – 1500 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
<b>Bergamot acetoacetate (69103-01-1)</b>	
LD50 oral	> 5000 mg/kg
LD50 dermal	> 5000 mg/kg
<b>Bulnesia sarmienti, ext., acetate (94333-88-7)</b>	
LD50 oral	10000 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 5000 mg/kg bw/day Species : Rabbit
<b>2-phenylethanol (60-12-8)</b>	
LD50 dermal rabbit	2535 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 1769 - 3634
LC50 Inhalation - Rat	> 4.63 mg/l air Animal: rat
<b>Citral (5392-40-5)</b>	
LD50 oral rat	≈ 6800 mg/kg bodyweight Animal: rat
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat
<b>Linalool (78-70-6)</b>	
LD50 oral rat	2790 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2440 - 3180
LD50 oral	3120 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2620 - 3620
LD50 dermal rabbit	5610 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 3578 - 8374
<b>2,6,10-trimethylundec-9-enal (141-13-9)</b>	
LD50 oral rat	> 4250 mg/kg OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 5000 mg/kg
<b>Vernaldehyde (66327-54-6)</b>	
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)



# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>cis-3-Hexenyl benzoate (25152-85-6)</b>	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
<b>Benzyl alcohol (100-51-6)</b>	
LD50 oral	1580 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1410 - 1770
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 4.178 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
<b>Myrcenyl acetate (1118-39-4)</b>	
LD50 oral rat	6300 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 5300 - 7300
LD50 dermal	> 5000 mg/kg
<b>Citronellal (106-23-0)</b>	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	2500 – 5000 mg/kg bodyweight Animal: rabbit
<b>2-Methoxy-p-cresol (93-51-6)</b>	
LD50 oral	623 mg/kg
<b>Nerol (106-25-2)</b>	
LD50 oral rat	4500 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 3400 - 5600
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
<b>4-methyl-3-decen-5-ol (81782-77-6)</b>	
LD50 oral rat	> 8000 mg/kg
<b>cis-hex-3-en-1-ol (928-96-1)</b>	
LD50 oral rat	4615 mg/kg bodyweight Animal: rat, 95% CL: 4045 - 6265
LC50 Inhalation - Rat	> 4.99 mg/l air Animal: rat, Guideline: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class Method)
<b>5-methylheptan-3-one oxime (22457-23-4)</b>	
LD50 oral rat	3500 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
<b>Eucalyptus oil (84625-32-1)</b>	
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
<b>Orange, sweet, ext. (8028-48-6)</b>	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: other:
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.

# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

### Geraniol (106-24-1)

NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
---	--

### Citral (5392-40-5)

NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
---	--

### Citronellal (106-23-0)

NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
---	--

Reproductive toxicity : Not classified

### 2,6,10-trimethylundec-9-enal (141-13-9)

NOAEL (animal/female, F0/P)	≥ 300 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:
-----------------------------	---

NOAEL (animal/female, F1)	> 300 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:
---------------------------	---

### Eucalyptus oil (84625-32-1)

NOAEL (animal/male, F0/P)	1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
---------------------------	--

NOAEL (animal/female, F0/P)	300 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
-----------------------------	---

STOT-single exposure : Not classified

### Isoeugenol (97-54-1)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure : Not classified

### Geraniol (106-24-1)

NOAEL (dermal, rat/rabbit, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: other:, Guideline: other:
-------------------------------------	--

### Eugenol (97-53-0)

NOAEL (subchronic, oral, animal/male, 90 days)	≥ 900 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: other:
--	---

NOAEL (subchronic, oral, animal/female, 90 days)	450 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: other:
--	---

### Citronellol (106-22-9)

NOAEL (oral, rat, 90 days)	2000 mg/kg bodyweight Animal: rat, Guideline: other:
----------------------------	--

NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.063 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)
--	--

### 2-phenylethanol (60-12-8)

NOAEL (dermal, rat/rabbit, 90 days)	510 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
-------------------------------------	--

### Citral (5392-40-5)

LOAEC (inhalation, rat, gas, 90 days)	68 ppm Animal: rat, Animal sex: female
---------------------------------------	--

NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
----------------------------	---

NOAEC (inhalation, rat, gas, 90 days)	34 ppm Animal: rat, Animal sex: female
---------------------------------------	--

# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Citral (5392-40-5)</b>	
NOAEL (subchronic, oral, animal/male, 90 days)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
<b>Linalool (78-70-6)</b>	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
<b>2,6,10-trimethylundec-9-enal (141-13-9)</b>	
NOAEL (oral, rat, 90 days)	≥ 335 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:
<b>Benzyl alcohol (100-51-6)</b>	
NOAEL (oral, rat, 90 days)	400 mg/kg bodyweight Animal: rat, Guideline: other:
<b>Citronellal (106-23-0)</b>	
LOAEC (inhalation, rat, gas, 90 days)	68 ppm Animal: rat, Animal sex: female
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEC (inhalation, rat, gas, 90 days)	34 ppm Animal: rat, Animal sex: female
NOAEL (subchronic, oral, animal/male, 90 days)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
<b>cis-hex-3-en-1-ol (928-96-1)</b>	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
<b>5-methylheptan-3-one oxime (22457-23-4)</b>	
NOAEL (dermal, rat/rabbit, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Aspiration hazard : Not classified

<b>Citral (5392-40-5)</b>	
Viscosity, kinematic	2.42 mm <sup>2</sup> /s Temp.: 20 °C
<b>Benzyl alcohol (100-51-6)</b>	
Viscosity, kinematic	4.851 mm <sup>2</sup> /s
<b>Eucalyptus oil (84625-32-1)</b>	
Viscosity, kinematic	1.79 mm <sup>2</sup> /s Temp.: '40°C' Parameter: 'kinematic viscosity (in mm <sup>2</sup> /s)'

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Geraniol (106-24-1)	
LC50 - Fish [1]	≈ 22 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	10.8 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	13.1 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Eugenol (97-53-0)	
LC50 - Fish [1]	13 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	1.05 mg/l Test organisms (species): Daphnia magna
Citronellol (106-22-9)	
LC50 - Fish [1]	14.66 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	17.48 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	2.4 mg/l Test organisms (species):
Bergamot acetoacetate (69103-01-1)	
EC50 - Crustacea [1]	> 18 mg/l Test organisms (species): Daphnia magna
Bulnesia sarmienti, ext., acetate (94333-88-7)	
EC50 - Crustacea [1]	0.33 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 0.31 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
2-phenylethanol (60-12-8)	
LC50 - Fish [1]	215 – 464 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	287.17 mg/l Test organisms (species): Daphnia magna
Citral (5392-40-5)	
LC50 - Fish [1]	6.78 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	6.8 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	103.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Linalool (78-70-6)	
LC50 - Fish [1]	27.8 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	88.3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [2]	156.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
2,6,10-trimethylundec-9-enal (141-13-9)	
LC50 - Fish [1]	> 0.6087 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 - Fish [2]	> 0.4738 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	0.9 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 0.5877 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vernaldehyde (66327-54-6)	
EC50 - Crustacea [1]	0.17 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	1.8 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
cis-3-Hexenyl benzoate (25152-85-6)	
EC50 - Crustacea [1]	1.5 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	1.3 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
Benzyl alcohol (100-51-6)	
LC50 - Fish [1]	460 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	230 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	770 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	500 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	76.828 mg/l Test organisms (species): other:
NOEC chronic fish	48.897 mg/l Test organisms (species): other: Duration: '30 d'
Myrcenyl acetate (1118-39-4)	
EC50 - Crustacea [1]	6.3 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	19 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
Citronellal (106-23-0)	
LC50 - Fish [1]	≈ 22 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	8.7 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	13.33 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	6.74 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Nerol (106-25-2)	
LC50 - Fish [1]	20.3 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	32.4 mg/l Test organisms (species): Daphnia magna
4-methyl-3-decen-5-ol (81782-77-6)	
LC50 - Fish [1]	3 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.4 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	3.6 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	3.8 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
NOEC chronic algae	1.3 mg/l Test organisms (species): Pseudokirchneriella subcapitata
cis-hex-3-en-1-ol (928-96-1)	
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)

# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>cis-hex-3-en-1-ol (928-96-1)</b>	
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 76 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
<b>5-methylheptan-3-one oxime (22457-23-4)</b>	
LC50 - Fish [1]	51.451 mg/l Test organisms (species):
EC50 - Crustacea [1]	44 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	62 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
NOEC chronic algae	10 mg/l Test organisms (species): Pseudokirchneriella subcapitata; Exposure time: 72 h.; Test Type: static test; Method: OECD Test Guideline 201
<b>Eucalyptus oil (84625-32-1)</b>	
EC50 - Crustacea [1]	0.307 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	0.475 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	> 74 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
<b>12.2. Persistence and degradability</b>	
<b>Birch Leaf Givco 166</b>	
Persistence and degradability	Not rapidly degradable
<b>Geraniol (106-24-1)</b>	
Persistence and degradability	Not rapidly degradable
<b>Eugenol (97-53-0)</b>	
Persistence and degradability	Not rapidly degradable
<b>Citronellol (106-22-9)</b>	
Persistence and degradability	Not rapidly degradable
<b>Bergamot acetoacetate (69103-01-1)</b>	
Persistence and degradability	Not rapidly degradable
<b>Bulnesia sarmienti, ext., acetate (94333-88-7)</b>	
Persistence and degradability	Not rapidly degradable
<b>2-phenylethanol (60-12-8)</b>	
Persistence and degradability	Not rapidly degradable
<b>Citral (5392-40-5)</b>	
Persistence and degradability	Not rapidly degradable
<b>Linalool (78-70-6)</b>	
Persistence and degradability	Not rapidly degradable
<b>2,6,10-trimethylundec-9-enal (141-13-9)</b>	
Persistence and degradability	Not rapidly degradable

# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Vernaldehyde (66327-54-6)</b>	
Persistence and degradability	Not rapidly degradable
<b>cis-3-Hexenyl benzoate (25152-85-6)</b>	
Persistence and degradability	Not rapidly degradable
<b>Benzyl alcohol (100-51-6)</b>	
Persistence and degradability	Not rapidly degradable
<b>Myrcenyl acetate (1118-39-4)</b>	
Persistence and degradability	Not rapidly degradable
<b>2,4-dimethylcyclohex-3-ene-1-carbaldehyde (68039-49-6)</b>	
Persistence and degradability	Not rapidly degradable
<b>Citronellal (106-23-0)</b>	
Persistence and degradability	Not rapidly degradable
<b>beta-Pinene (127-91-3)</b>	
Persistence and degradability	Not rapidly degradable
<b>delta-3-Carene (13466-78-9)</b>	
Persistence and degradability	Not rapidly degradable
<b>2-Methoxy-p-cresol (93-51-6)</b>	
Persistence and degradability	Not rapidly degradable
<b>Isoeugenol (97-54-1)</b>	
Persistence and degradability	Not rapidly degradable
<b>Nerol (106-25-2)</b>	
Persistence and degradability	Not rapidly degradable
<b>4-methyl-3-decen-5-ol (81782-77-6)</b>	
Persistence and degradability	Not rapidly degradable
<b>cis-hex-3-en-1-ol (928-96-1)</b>	
Persistence and degradability	Not rapidly degradable
<b>5-methylheptan-3-one oxime (22457-23-4)</b>	
Persistence and degradability	Not rapidly degradable
<b>Eucalyptus oil (84625-32-1)</b>	
Persistence and degradability	Not rapidly degradable
<b>Orange, sweet, ext. (8028-48-6)</b>	
Persistence and degradability	Not rapidly degradable
<b>12.3. Bioaccumulative potential</b>	
<b>Citral (5392-40-5)</b>	
BCF - Fish [1]	89.72
Partition coefficient n-octanol/water (Log Kow)	2.76 Temp.: 25 °C

# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>2,6,10-trimethylundec-9-enal (141-13-9)</b>	
Partition coefficient n-octanol/water (Log Pow)	6.2
<b>Benzyl alcohol (100-51-6)</b>	
Bioconcentration factor (BCF REACH)	1.37

### 12.4. Mobility in soil

<b>Citral (5392-40-5)</b>	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.169

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
<b>14.2. UN proper shipping name</b>				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Birch Leaf Givco 166)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Birch Leaf Givco 166)	Environmentally hazardous substance, liquid, n.o.s. (Birch Leaf Givco 166)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Birch Leaf Givco 166)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Birch Leaf Givco 166)
<b>Transport document description</b>				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Birch Leaf Givco 166), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Birch Leaf Givco 166), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Birch Leaf Givco 166), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Birch Leaf Givco 166), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Birch Leaf Givco 166), 9, III



# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
<b>14.3. Transport hazard class(es)</b>				
9	9	9	9	9
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-F	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 375, 601, 650
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	:



Tunnel restriction code (ADR)	: -
-------------------------------	-----

#### Transport by sea

Special provisions (IMDG)	: 274, 335, 375, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
Stowage category (IMDG)	: A

#### Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964

# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PCA limited quantity max net quantity (IATA) : 30kgG  
PCA packing instructions (IATA) : 964  
PCA max net quantity (IATA) : 450L  
CAO packing instructions (IATA) : 964  
CAO max net quantity (IATA) : 450L  
Special provisions (IATA) : A97, A158, A197, A215  
ERG code (IATA) : 9L

### Inland waterway transport

Classification code (ADN) : M6  
Special provisions (ADN) : 274, 335, 375, 601, 650  
Limited quantities (ADN) : 5 L  
Excepted quantities (ADN) : E1  
Carriage permitted (ADN) : T  
Equipment required (ADN) : PP  
Number of blue cones/lights (ADN) : 0

### Rail transport

Classification code (RID) : M6  
Special provisions (RID) : 274, 335, 375, 601, 650  
Limited quantities (RID) : 5L  
Excepted quantities (RID) : E1  
Packing instructions (RID) : P001, IBC03, LP01, R001  
Special packing provisions (RID) : PP1  
Mixed packing provisions (RID) : MP19  
Portable tank and bulk container instructions (RID) : T4  
Portable tank and bulk container special provisions (RID) : TP1, TP29  
Tank codes for RID tanks (RID) : LGBV  
Transport category (RID) : 3  
Special provisions for carriage – Packages (RID) : W12  
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW31  
Colis express (express parcels) (RID) : CE8  
Hazard identification number (RID) : 90

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

#### REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	beta-Pinene ; delta-3-Carene ; cis-hex-3-en-1-ol ; Eucalyptus oil ; Orange, sweet, ext.	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	Birch Leaf Givco 166 ; Geraniol ; Eugenol ; Citronellol ; Bergamot acetoacetate ; Bulnesia sarmienti, ext., acetate ; 2-phenylethanol ; Citral ; Linalool ; 2,6,10- trimethylundec-9-enal ; Vernaldehyde ; cis-3- Hexenyl benzoate ; Benzyl alcohol ; Myrcenyl acetate ; 2,4- dimethylcyclohex-3-ene- 1-carbaldehyde ; Citronellal ; beta-Pinene ; delta-3-Carene ; 2- Methoxy-p-cresol ; Isoeugenol ; Nerol ; cis- hex-3-en-1-ol ; Eucalyptus oil ; Orange, sweet, ext.	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Birch Leaf Givco 166 ; Bergamot acetoacetate ; Bulnesia sarmienti, ext., acetate ; 2,6,10- trimethylundec-9-enal ; Vernaldehyde ; cis-3- Hexenyl benzoate ; Myrcenyl acetate ; 2,4- dimethylcyclohex-3-ene- 1-carbaldehyde ; 4- methyl-3-decen-5-ol ; 5- methylheptan-3-one oxime ; Eucalyptus oil ; Orange, sweet, ext.	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

**REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

**REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

**PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

**POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

**Ozone Regulation (2024/590)**

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

**Council Regulation (EC) for the control of dual-use items**

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

**Explosives Precursors Regulation (EU 2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

**Drug Precursors Regulation (EC 273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### National regulations

#### Netherlands

SZW-lijst van kankerverwekkende stoffen	: Bergamot acetoacetate, Bulnesia sarmienti, ext., acetate, Vernaldehyde, 2,4-dimethylcyclohex-3-ene-1-carbaldehyde, Eucalyptus oil, Orange, sweet, ext. are listed
SZW-lijst van mutagene stoffen	: Bergamot acetoacetate, Bulnesia sarmienti, ext., acetate, Vernaldehyde, 2,4-dimethylcyclohex-3-ene-1-carbaldehyde, Eucalyptus oil, Orange, sweet, ext. are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet

# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Abbreviations and acronyms:

STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

### Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child.

# Birch Leaf Givco 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Full text of H- and EUH-statements:

H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.